



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/937,194	09/21/2001	Seiji Ohno	NSG-201US	6387

23122 7590 05/08/2002

RATNER & PRESTIA  
P O BOX 980  
VALLEY FORGE, PA 19482

EXAMINER

MONDT, JOHANNES P

ART UNIT	PAPER NUMBER
----------	--------------

2826

DATE MAILED: 05/08/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)	
	09/937,194	OHNO ET AL.	
	Examiner	Art Unit	
	Johannes P Mondt	2826	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☒ None of:  
1. ☒ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                  | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). ____.  |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                         | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>4</u> . | 6) <input type="checkbox"/> Other:  |

## **DETAILED ACTION**

### ***Priority***

1. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in Japan on 1/31/00. It is noted, however, that applicant has not filed a certified copy of the Japanese application as required by 35 U.S.C. 119(b). Only a non-certified copy is available.

### ***Information Disclosure Statement***

The examiner has considered the items in the Information Disclosure Statement of Paper No. 4 filed 1/16/02.

### ***Drawings***

2. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### ***Specification***

The number "M" introduced on page 9 (lines 24-30) is not defined explicitly. Appropriate action in the form of an explicit definition is required.

3. The attempt to incorporate subject matter into this application by reference to Japanese Patent No. 2807910 is improper because only US Patents can be thus incorporated while said patent could not even be located in the Japanese Patent Database based on the scant information that has been provided.

***Claim Objections***

4. ***Claims 2 and 7*** are objected to because of the following informalities: the mathematical symbol MOD, as utilized in claims 2 and 7 by Applicant, should be replaced by a verbal definition, in which the significance of the symbol MOD is defined. Appropriate correction is required.

***Claim Rejections - 35 USC § 112***

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. ***Claim 5*** is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Particularly, after the phrase “the number M of the gate-selecting lines is the smallest integer, next smaller integer, or third smaller integer” it is not specified with which integer M is compared as implied by the use of “smaller”
7. ***Claim 6*** is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Particularly, after the phrase “the number M of the gate-selecting lines is the smallest integer, next smaller integer, third smaller integer, fourth smaller integer, or fifth smaller integer” it is not specified with which integer M is compared as implied by the use of “smaller”

***Claim Rejections - 35 USC § 103***

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. ***Claims 1-6 and 12*** are rejected under 35 U.S.C. 103(a) as being unpatentable over Prior Art as Admitted by Applicant (henceforth called "APA") in view of Kamei (JP359117280A). As shown in the disclosure on pages 2 and 3, and as illustrated in Figure 1, APA teaches a light-emitting thyristor matrix array formed on a chip (page 2, lines 7-8 and page 3, line 9) comprising: N (N being an integer > 1) three-terminal (anode, cathode, gate) light-emitting thyristors (page 2, lines 9, 12, 14, and 16) in one line (page 2, line 10) in parallel with the long side of the chip (all thyristors are positioned on said chip while they are aligned with (along) the long side of the chip); and a plurality of bonding pads also formed on the chip (cf. page 3, line 8-10).

*APA does not necessarily teach* the plurality of bonding pads to be arrayed in one line in parallel with the long side of the chip. However, Kamei teaches a plurality of bonding pads arrayed in one line in parallel with the long side of the chip, namely bonding pads 9a (Figures 1 and 2). The purpose of Kamei, namely to facilitate adjusting the trimming (adjusting the light amount) through a separate bonding pad 9a for each light-emitting element 5, enabling the option of separate re-connecting of any light-emitting element to an alternative bonding pad (bonding pads 9b, 9c, etc.), is a valid

*motivation* also for the invention disclosed as Prior Art admitted by Applicant because the intensities of different printing lines should ideally be the same. Furthermore, the distance between each light-element 5 and its bonding pad 9a, casu quo alternative bonding pads 9b, 9c,..., is kept minimal by means of the alignment of bonding pads 9a in parallel with the light-element array. The inventions can be straightforwardly *combined* because the linear array of light-emitting elements as taught by the APA is simply the first step in the manufacturing process for the end product. Reasonable expectation of success is ensured by the absence of any unknown elements in the manufacturing process and in the independence of the fabrication of the array of light-emitting elements and the array of bonding pads.

*With regard to claim 2:* the light-emitting thyristor taught by APA further comprises: a common terminal to which cathodes are of the N light-emitting thyristors are connected (indicated "K" on Figure 1 and page 2, lines 15-16); and M ( $M=4>1$ ) gate-selecting lines (cf. Figure 1 and page 2, lines 17-20); wherein the gate of the k-th light-emitting thyristor is connected the i-th (modulus  $M=4$ ) gate-selecting line  $G_i$ , the anode being connected to the j-th anode terminal  $A_j$ , where  $j = (k-i)/M + 1$ .

*With regard to claim 3:* the light-emitting thyristor essentially taught by APA in view of Kamei satisfies claim 3 as Figures 1 and 3 in Kamei show that there is ample room for (at least) one more bond pad to be placed on the chip, and thus the length L exceeds the product of the number of bond pads and the pitch of the bond pad array by more than one bond array pitch. It is understood in the art that to place the absolute

maximum number of elements in an array as allowed by the length of the chip would place the outer elements arbitrarily close to outside influence.

*With regard to claim 4:* An optimum or range as expressed in this claim by the phrase “about 75  $\mu\text{m}$ ” is not necessarily taught by APA nor by Kamei. However, it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

*With regard to claims 5 and 6:* the number M of gate-selecting lines as taught by APA (Figure 1 of disclosure) is 4, which is the third integer starting from the smallest possible choice of 2.

*With regard to claim 12:* Any of the claims 2-6 are unpatentable over APA in view of Kamei, as explained above. Although a driver circuit has not necessarily been disclosed as APA nor by Kamei, a driver circuit for the aforementioned gate-selecting lines as well as a driver circuit for driving the aforementioned anode terminals are necessary for these gate-selecting lines and anode terminals to function. It is equally obvious that the very process of selecting a gate to receive a signal implies for the relevant circuit to output a “selecting” signal to one of the gate-selecting signal output terminals and a “no-selecting” signal to the other gate-selecting signal output terminals, with the terminal to which the “selecting” signal is supplied being switched in turn. The very meaning of the word “selecting” suffices here.

10. **Claims 7-11** are rejected under 35 U.S.C. 103(a) as being unpatentable over APA and Kamei as applied to claim 1 above, and further in view of Breeze (4,394,653).

*With regard to claim 7:* As detailed above, claim 1 (on which claim 7 depends) is unpatentable over Prior Art as Admitted by Applicant (APA) in view of Kamei. Neither APA nor Kamei necessarily teach the further limitation of claim 7. However, in the art of light-emitting element arrays for image display systems (cf. title and abstract), hence closely related to the art of the invention, Breeze teaches (cf. Fig. 3) LED arrays in which there is a spatial period characterized by a fixed number of adjacent LEDs, each member of said fixed number of LEDs corresponding to a different image (cf. column 2, line 38 – column 3, line 6); the total image is then a superposition of images produced by the members of said fixed number of LEDs, while image selection is carried out through the anode voltage selection (cf. Fig. 3; cf. column 4, line 66 – column 5, line 63). The anode connection is different for every different member of said fixed number of LEDs, i.e., within the spatial period, while the gates within the period are interconnected ohmically. For the usefulness of the invention as taught by APA in view of Kamei as defined in claim 1 for the purpose of image display it therefore would be obviously advantageous to have separate anodes but a common gate within the LED periodic unit responsible for the display of one character. Therefore, there is ample *motivation* to combine the inventions. Identically the same advantageous spatial arrangement of electrical connections with the aim of reducing connection requirements on spatial resources would be achieved when the commonality of the anode would be replaced by the commonality of the gate. The inventions can be *combined*: all that needs to be done is to *interchange* anode and gate connections without loss of said



spatial resources. *Reasonable expectation of success is ensured* keeping in mind the relative simplicity involved in the interchange.

*In conclusion*, it would have been obvious to one of ordinary skills in the art to modify the invention of claim 1 (as essentially taught by APA and Kamei) so as to include the further limitation as defined by claim 7.

*With regard to claim 8*: the light-emitting thyristor essentially taught by APA in view of Kamei satisfies claim 8 as Figures 1 and 3 in Kamei show that there is ample room for (at least) one more bond pad to be placed on the chip, and thus the length L exceeds the product of the number of bond pads and the pitch of the bond pad array by more than one bond array pitch. It is understood in the art that to place the absolute maximum number of elements in an array as allowed by the length of the chip would place the outer elements arbitrarily close to outside influence.

*With regard to claim 9*: An optimum or range as expressed in this claim by the phrase "about 75  $\mu\text{m}$ " is not necessarily taught by APA nor by Kamei. However, it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

*With regard to claims 10 and 11*: the number M of gate-selecting lines as taught by APA (Figure 1 of disclosure) is 4, which is the third integer starting from the smallest possible choice of 2.

11. **Claims 13-14** are rejected under 35 U.S.C. 103(a) as being unpatentable over APA and Kamei as applied to claim 12 above, and further in view of Mead et al

Art Unit: 2826

(5,763,909). Although neither APA nor Kamei disclose the further limitation as defined in claim 13 it is understood that the selection of parallel or serial input / output registers is a matter of design choice, as discussed by Mead et al in connection with a phototransistor imaging system, hence in the field of the invention (cf. title, abstract and column 10, lines 1-14) while, in connection with claim 14 the number of the gate-selecting signal output signal terminals in APA must be four since there are four gate-selecting lines.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johannes P Mondt whose telephone number is 703-306-0531. The examiner can normally be reached on 8:00 - 18:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J Flynn can be reached on 703-308-6601. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

JPM  
May 3, 2002



**NATHAN J. FLYNN**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 2800**